

RELIATech GmbH
Lindenerstr. 15
38300 Wolfenbüttel
Germany

Tel.: +49 5331 8586 987
Fax.: +49 5331 8586 987
Email: info@reliatech.de
web: www.reliatech.de

Antigen-Affinity Purified Polyclonal Antibodies

Anti-human Interleukin-17

Description: Produced from sera of rabbits pre-immunized with highly pure (>98%) recombinant human IL-17 (human Interleukin-17). Anti-human IL-17 specific antibody was purified by affinity chromatography employing immobilized human IL-17 matrix.

Host species:	Rabbits
Antigen:	Recombinant human IL-17
Purification:	Affinity chromatography
Stabilizer:	none
Buffer:	PBS; pH 7.2
Formulation:	lyophilized

Reconstitution/Stability: The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20°C. When reconstituted in sterile water to a concentration of ≥ 0.2 mg/ml the antibody is stable for at least six weeks at 2-4°C.

Applications

Neutralization: To yield one-half maximal inhibition [ND_{50}] of the biological activity of human IL-17 (6.00 ng/ml), a concentration of 0.1 - 0.18 μ g/ml of this antibody is required.

ELISA: To detect human IL-17 by direct ELISA (using 100 μ l/well antibody solution) a concentration of at least 0.5 μ g/ml of this antibody is required. This antigen affinity purified antibody, in conjunction with compatible secondary reagents, allows the detection of 0.2 - 0.4 ng/well of recombinant human IL-17.

Western Blot: To detect human IL-17 by Western Blot analysis this antibody can be used at a concentration of 0.1 - 0.2 μ g/ml. Used in conjunction with compatible secondary reagents the detection limit for recombinant human IL-17 is 1.5 - 3.0 ng/lane, under either reducing or non-reducing conditions.

Usage: Anti human IL-17 is offered for research use. Not for drug use. **Not for human use.**

Catalogue number: 102-P46

Size: 100 μ g