

RELIATech GmbH
Lindenerstr. 15
38300 Wolfenbüttel
Germany

Tel.: +49 5331 8586 987
Fax.: +49 5331 8586 989
Email: info@reliatech.de
web: www.reliatech.de

Anti-human LYVE-1

Description: Produced from sera of rabbits immunised with highly pure recombinant human soluble LYVE-1 produced in insect cells. The recombinant soluble LYVE-1 consists of amino acid 24 (Ser) to 232 (Gly) and is fused to a C-terminal His-tag (6xHis).

LYVE-1 has been identified as a major receptor for HA (extracellular matrix glycosaminoglycan hyaluronan) on the lymph vessel wall. The deduced amino acid sequence of LYVE-1 predicts a 322-residue type I integral membrane polypeptide 41% similar to the CD44 HA receptor with a 212-residue extracellular domain containing a single Link module the prototypic HA binding domain of the Link protein superfamily. Like CD44, the LYVE-1 molecule binds both soluble and immobilized HA. However, unlike CD44, the LYVE-1 molecule colocalizes with HA on the luminal face of the lymph vessel wall and is completely absent from blood vessels. Hence, LYVE-1 is the first lymph-specific HA receptor to be characterized and is a uniquely powerful marker for lymph vessels themselves.

Host species:	Rabbits
Antigen:	Recombinant human soluble Lyve-1
Purification:	Protein-A Chromatography (+his tag depleted)
Stabilizer:	none
Buffer:	lyophilized from PBS, pH 7.4 w/o preservative
Formulation:	lyophilized rabbit IgG

Reconstitution: The lyophilized IgG is stable at 4°C. for at least one month and for greater than a year when kept at -20°C. When reconstituted in sterile water to a concentration of >0.5 mg/ml the antibody is stable for at least six weeks at 2-4°C. **Avoid repeated freeze-thaw cycles.**

Applications

ELISA: Use at 1-15 µg/ml.

Western Analysis: Use at a concentration of 1-2 µg/ml with the appropriate secondary reagents.

FACS analysis: Use at 3-20 µg/ml together with the appropriate secondary reagents

Immunohistochemistry: The antibody works on frozen sections. Use at 6-30 µg/ml.

Optimal dilutions should be determined by each laboratory for each application.

Usage: Anti-human Lyve-1 is offered for research use. Not for drug use. **Not for human use.**

Catalogue number: 102-PA50

Size: 200 µg

Literature: [Carriera et al., Cancer Res 61:8079, 2001; Jackson DG Trends Cardiovasc Med 13:1, 2003; Sleeman et al., Microsc Res Tech 55:61, 2001 ; Mäkinen et al., EMBO J 20 : 4762, 2001]

**** please note : always centrifuge vials before opening ****