



20150217ML

Anti-Human TNFRSF10A (#8Y3)

**FOR RESEARCH ONLY! NOT FOR HUMAN USE!**

Cat.-no.:	101-M651
Size:	100 µg
Lot. No.:	According to product label

Preparation: This antibody was produced from a hybridoma (mouse myeloma fused with spleen cells from a mouse) immunized with human recombinant protein of TNFRSF10A extracellular domain (also called TRAIL R1).

Target Background

Synonyms (Target):	TNFRSF10A; DR4; APO2; CD261; TRAILR1; TRAILR-1
---------------------------	--

TNF-related apoptosis-inducing ligand (TRAIL), also known as Apo-2 ligand and TNFSF10, is a type II transmembrane protein with a carboxy-terminal extracellular domain that exhibits homology to other TNF superfamily members. TRAIL binds at least five different receptors: TRAIL R1 (DR4), R2 (DR5), R3 (DcR1), R4 (DcR2), and osteoprotegerin (OPG). TRAIL receptors all exhibit cysteine-rich repeats characteristic of the TNF receptor superfamily. TRAIL R1 and R2 are type 1 transmembrane proteins with intracellular death domains (DD) and, subsequently, have the ability to mediate TRAIL-induced apoptosis. The remaining receptors are decoys that may regulate TRAIL activity by competing for binding sites with TRAIL R1 and R2. TRAIL R3 is membrane-associated via GPI linkage. TRAIL R4 is a type 1 transmembrane receptor, but exhibits a truncated cytoplasmic domain. Like the active receptors TRAIL R1 and R2, OPG has a DD motif but is a soluble protein.

Database References Target

Protein RefSeq:	NP_003835.3
Uniprot ID:	O00220
mRNA RefSeq:	NM_003844.3

Product Specifications

Host	Mouse
Reactivity against	Human
Clonality	Monoclonal Antibody
Clone	(#8Y3)
Isotype	IgG2
Purification	Protein G chromatography
Antigen	Human recombinant TNFRSF10A EC domain
Formulation	lyophilized
Reconstitution buffer	PBS (sterile)

Reconstitution: Reconstitute the antibody with 200 µl sterile PBS and the final concentration is 500 µg/ml.

Stability: Lyophilized samples are stable for 2 years from date of receipt when stored at -70°C. Reconstituted antibody can be aliquoted and stored frozen at < -20 °C for at least for six months without detectable loss of activity.

Remarks: This antibody was selected for its ability to detect human TNFRSF10A.

**AVOID REPEATED FREEZE AND THAW CYCLES!**

Applications

The antibody can be used within the following applications:

FC

Recommended usage:

Flow cytometry: 1:50 - 1:100

NOTE: OPTIMAL DILUTIONS SHOULD BE DETERMINED BY EACH LABORATORY FOR EACH APPLICATION!