



20150116ML

# Anti-Mouse Galectin-1 (#9J26)

**FOR RESEARCH ONLY! NOT FOR HUMAN USE!**

<b>Cat.-no.:</b>	<b>103-M223</b>
Size:	100 µg
Lot. No.:	According to product label

**Preparation:** This antibody was produced from a hybridoma (mouse myeloma fused with spleen cells from a rat immunized with purified mouse recombinant Galectin-1. The IgG2 fraction of the culture supernatant was purified by Protein A/G affinity chromatography.

## Target Background

<b>Synonyms (Target):</b>	Lgals1; L14; Gal-1; Galbp; L-14.5; Lect14; AA410090; galectin-1
---------------------------	-----------------------------------------------------------------

The galectins constitute a large family of carbohydrate-binding proteins that function in many systems both intracellularly and following secretion. Galectins contain either one or two carbohydrate recognition domains (CRR) which mediate recognition of N-acetyl-lactosamine-containing glycoproteins. Some galectins exist in multiple isoforms due to alternative splicing. Individual galectins differ in their tissue distribution and in their carbohydrate-binding specificities.

## Database References Target

<b>Protein RefSeq:</b>	NP_032521.1
<b>Uniprot ID:</b>	P16045
<b>mRNA RefSeq:</b>	NM_008495.2

## Product Specifications

<b>Host</b>	Rat
<b>Reactivity against</b>	Mouse
<b>Clonality</b>	Monoclonal Antibody
<b>Clone</b>	(#9J26)
<b>Isotype</b>	IgG2
<b>Purification</b>	Protein G/A chromatography
<b>Antigen</b>	Recombinant mouse Galectin-1
<b>Formulation</b>	lyophilized
<b>Reconstitution buffer</b>	PBS (sterile)

**Reconstitution:** Reconstitute the antibody with 200 µl sterile PBS and the final concentration is 500 µg/ml.

**Stability:** Lyophilized samples are stable for 2 years from date of receipt when stored at -70°C. Reconstituted antibody can be aliquoted and stored frozen at < -20 °C for at least for six months without detectable loss of activity.

**Remarks:** This antibody detects mouse Galectin-1 in Western blotting.

**AVOID REPEATED FREEZE AND THAW CYCLES!**

## Applications

The antibody can be used within the following applications:

WB, IHC (F)

### Recommended usage:

**WB:** 1:500-1000

**IHC (frozen):** 1:50-200

**NOTE: OPTIMAL DILUTIONS SHOULD BE DETERMINED BY EACH LABORATORY FOR EACH APPLICATION!**